Grimshaw Gravels Aquifer Source Water Protection Plan

September 13, 2019

Grimshaw Gravels Aquifer Management Advisory Association P.O. Box 34, 5240 – 52 Avenue Berwyn, Alberta, Canada T0H 0E0 Mighty Peace Watershed Alliance P.O. Box 217, 205 1 Street East McLennan, Alberta, Canada T0H 2L0



ACKNOWLEDGEMENTS

This source water protection plan is a collaboration between The Mighty Peace Watershed Alliance, the municipalities who are part of the Grimshaw Gravels Aquifer Management Advisory Association (Clear Hills County, MD of Peace, MD of Fairview, Town of Grimshaw, Village of Berwyn, and County of Northern Lights), as well as Alberta Environment and Parks. It builds upon work already completed by the Grimshaw Gravels Aquifer Management Advisory Association and will proactively maintain the quality and quantity of water within the aquifer for a range of uses at present, and into the future. Thank you to Kisik Environmental Services Inc. for facilitating the workshops.

The Grimshaw Gravels Aquifer Source Water Protection Plan was completed through the work of the project team. We thank them for their hard work and dedicated efforts:

- Adam Norris Watershed Coordinator, Mighty Peace Watershed Alliance
- Cheryl Anderson Councillor, County of Northern Lights
- Chris Chalk Regional Hydrogeologist, Alberta Environment and Parks
- Colleen Sklapsky Councillor, Town of Grimshaw
- David Walty Director, Mighty Peace Watershed Alliance
- Janice Reyda Councillor, MD of Peace
- Kim Steeves Councillor, Village of Berwyn
- Peter Frixel Councillor, Clear Hills County
- Ray Skrepnek Councillor, MD of Fairview #136
- Rick Keillor Director, Mighty Peace Watershed Alliance

Contents

ACKNOWLEDGEMENTS	2
STATEMENT OF APPROVAL	4
LIST OF FIGURES	5
LIST OF TABLES	6
1.0 INTRODUCTION	7
2.1 GOALS AND OBJECTIVES	8
2.2 SCOPE	9
2.3 RISK ASSESSMENT	12
2.3.1 Land use	12
2.4 RECOMMENDED MANAGEMENT ACTIONS	16
3.0 PLAN IMPLEMENTATION	22
APPENDIX A - Additional maps and figures	23
APPENDIX B	39
APPENDIX C	43
APPENDIX D	54

STATEMENT OF APPROVAL

By signing, I declare that I am familiar with and endorse the Grimshaw Gravels Aquifer Source Water Protection Plan produced by the Grimshaw Gravels Aquifer Management Advisory Association and the Mighty Peace Watershed Alliance. Furthermore, I believe that the perspectives of those I represent have been considered and addressed in the development of this plan.

Adam Norris _	
Cheryl Anderson _	
Colleen Sklapsky _	
David Walty _	
Janice Reyda _	
Kim Steeves	
Peter Frixel	
Ray Skrepnek	
Rick Keillor _	

LIST OF FIGURES

Figure 1: Plan development process	8
Figure 2: Location of the Mackenzie River Watershed within Canada; The Peace River Watershed	and
Slave River Watershed within the Mackenzie River Watershed (SWR 2015); the sub-watersheds th	nat
make up the Peace River Watershed within Alberta (ESRD, 2017)	10
Figure 3: Geographical distribution of the Grimshaw Gravels Aquifer (Source: Architecture and Geof Basal Sand and Gravel Deposits, Including the 'Grimshaw Gravels', Northwestern Alberta (NTS 8	84C
and 84D) produced by the Alberta Geological Survey)	
Figure 4: Inset map of Hydrologic Unit Code (HUC) Watersheds of Alberta (Source: Alberta Enviror and Parks, Government of Alberta) and Grimshaw Gravels (red outline, Source: Prairie Farm	nment
Rehabilitation Administration 1998)	23
Figure 5: A reproduction of figure 17 from the AGS report. – Map of bedrock straths for Grimshaw	
Fort and Shaftesbury (data from Alberta Geological Survey)	
Figure 6: Underlying geology of the Grimshaw Gravel Aquifers (Source: Architecture and Geometr Basal Sand and Gravel Deposits, Including the 'Grimshaw Gravels', Northwestern Alberta (NTS 840)	C and
34D) produced by the Alberta Geological Survey)	
Figure 7: Map of Grimshaw Gravels (red outline, Prairie Farm Rehabilitation Administration 1998) Proposed Risk Zone boundary (blue outline), Approximate extent of Old Fort Gravel Terrace (spot dark grey, Prairie Farm Rehabilitation Administration 1998), and population centers including tow	ted
namlet's and Locality's (black circle) overlaid on hillshade (Alberta Environment and Parks, Govern	
of Alberta)	
Figure 8: Map of Proposed Risk Zones, Grimshaw Gravels, population centers, and Areas Vulnerab	
Contamination	
Figure 9: Map of Proposed Risk Zone with Areas Vulnerable to Contamination: extent of clay cove	
than or equal to 4 metres	
Figure 10: Map of Wetlands and Forest & Agriculture Landcover	
Figure 11: Domestic, irrigation and municipal wells	
Figure 12: Oil and gas wells by type	
Figure 13: Potential Point Sources of Contamination	
Figure 14: Human footprint Inventory	
Figure 15: Human Footprint Inventory – Industrial and Rural Sites	
Figure 16: Human Footprint Inventory – Linear Footprint	
Figure 17: Human Footprint Inventory – Agriculture and Forestry	
Figure 18: Booth set up at Mile Zero Regional Multiplex	

LIST OF TABLES

Table 1: Grimshaw Gravels Aquifer: Risk Assessment Results	. 13
Table 2: Grimshaw Gravels Aquifer Risk Management Actions	. 16
Table 3: Human Footprint Summary	. 33
Table 4: Human footprint Overview	. 34
Table 5: Likelihood of Occurrence	. 39
Table 6: Impact of Occurrence	. 39
Table 7: Risk Assessment Score Analysis Matrix	. 40
Table 8: Grimshaw Gravels Aquifer Risk Assessment Results	. 40
Table 9: Grimshaw Gravels Aquifer: Potential risks affecting source water, location, approximate	
distance to source (where applicable), contaminants of concern associated with risk, and transport	
mechanism of the identified contaminants of concern	. 43
Table 10: Grimshaw Gravels Aquifer: Timelines and Partnerships. Note that the timelines assigned to	
each risk mitigation action are used for the purposes of prioritization; the ability of mitigation actions	to
be implemented may be limited by money and resources	. 48
Table 11: List of Abbreviations	

1.0 INTRODUCTION

Source water protection is the first step in a multi-barrier approach to safe drinking water. The multi-barrier approach to safe drinking water puts measures and strategies into place throughout the drinking water cycle to protect and improve water quality from source-to-tap-to-source. The multi-barrier approach emphasizes source water protection as it recognizes that it is easier to prevent water contamination than it is to improve water quality once contamination has occurred. Source water protection identifies risks to source water and outlines management actions that can be put in place to protect drinking water from contamination.

The Grimshaw Gravels Aquifer is a glacio-fluvial deposit of coarse sand and gravel located in northwest Alberta within the Peace Watershed. It is west of the town of Peace River and adjacent to Cardinal Lake in the Upper/Central Peace Basin. It has excellent water quality and high yield, making it the most economically viable aquifer within the region. Numerous communities with a total population of approximately 7000 residents within the region rely on the aquifer as their drinking water source, including Berwyn, Brownvale, Grimshaw, Whitelaw, Weberville, and Duncan's First Nation. In addition to municipal water treatment systems, there are 7 water coops and 6 public wells that provide drinking water to residents within the region. There are 919 domestic wells, 83 stock wells, 1 irrigation well and 74 municipal wells.

The Grimshaw Gravels were deposited by rivers on top of the underlying sandstone and shale bedrock 5.3 to 2.5 million years ago. Ancestral rivers created channels and eroded the gravel deposit into smaller gravel bodies or lobes. The Grimshaw Gravels aquifer has four main gravel bodies or lobes: 1) southwestern lobe; 2) central lobe; 3) northeastern lobe; and 4) Whitelaw lobe, as well as numerous smaller, scattered deposits. Over time, these ancestral river channels became filled with drift deposits and are now "buried valleys" or "channels" that separate the lobes, such as the Berwyn Channel or Shaftesbury Channel.

The thickness of the Grimshaw Gravels differs throughout the region but ranges from minimal to 30 m thick. The Whitelaw and southwest lobe are both approximately 10 m thick and the central lobe is 25 m thick, while the northeast lobe is minimal with only small portions over 10 m thick. The aquifer is protected from contamination by overlying drift cover; however, the thickness of this drift cover varies throughout the region and is absent in some areas. This means that areas of low or no drift cover are at particularly high risk for contamination as the aquifer is in direct or almost direct contact with contaminants generated by surrounding land uses.

2.1 GOALS AND OBJECTIVES

This project follows up on the work already completed by the Grimshaw Gravels Aquifer Management Advisory Association (GGAMAA). Source water protection is a high priority of the GGAMAA. As such, this source water protection plan seeks to maintain the quality of water available in the Grimshaw Gravels Aquifer for a range of uses. This plan is limited in scope to only address potential risks that may degrade water quality. Additional reports will address other concerns, such as water quantity and climate change impacts. The intent is to be proactive and through risk assessment, mitigate risks and subsequently reduce the risk of losing this valuable resource.

The primary and overarching goal of the Grimshaw Gravels Aquifer Source Water Protection Plan (GGASWPP) is to identify potential contaminant hazards to the aquifer, assess the associated risk, and develop management actions to reduce these risks. This assessment will proceed with the understanding that water quality is inextricably linked to the land uses occurring above the aquifer and within its recharge zone. This source water protection plan constitutes a risk management system for the water resource found in the Grimshaw Gravels Aquifer. The plan development follows a 5-stage process (Figure 1) and the Source




Figure 1: Plan development process

Water Protection Plan uses the following 5 steps:

- 1. Identify hazards to aquifer function (what could go wrong?)
- 2. Assess the risk (how likely or probable is it?)

- 3. Prioritize the risks to aquifer function
- 4. Inform the public and stakeholders of the risks to aquifer function
- 5. Develop a suite of recommended management actions

2.2 SCOPE

The geographical scope of the GGASWPP is the extent of the Grimshaw Gravels Aquifer and its proposed recharge zone. This includes the individual lobes of the Grimshaw Gravels Aquifer, overlying surficial aquifers, underlying sandstone aquifers, as well as the numerous buried valley and terrace deposits that make up the Grimshaw Gravels Aquifer system. The aquifer system also includes surface water bodies such as lakes, springs, and wetland areas located on or adjacent to the aquifer system.

The project team recognized that the vulnerability of the aquifer to contamination is dependent upon the thickness of the overlying drift cover, with areas of little to no cover being more vulnerable to contamination risk than areas with thicker drift cover. As such, the project team has completed work to classify areas of the aquifer as vulnerable where the drift cover is less than 4 meters. Source water management actions are prioritized in the high risk areas.



Figure 2: Location of the Mackenzie River Watershed within Canada; The Peace River Watershed and Slave River Watershed within the Mackenzie River Watershed (SWR 2015); the sub-watersheds that make up the Peace River Watershed within Alberta (ESRD, 2017)




Figure 3: Geographical distribution of the Grimshaw Gravels Aquifer (Source: Architecture and Geometry of Basal Sand and Gravel Deposits, Including the 'Grimshaw Gravels', Northwestern Alberta (NTS 84C and 84D) produced by the Alberta Geological Survey)

2.3 RISK ASSESSMENT

Potential risks to source water quality were identified and ranked for the Grimshaw Gravels aquifer system. A risk matrix was used to rank identified potential risks according to the likelihood they would occur and the impact they would have on human or ecosystem health if they were to occur. Risk assessment scores were classified as low risk (yellow), medium risk (orange), or high risk (red). The results of the risk assessment are listed in Table 1 from highest to lowest. Priority for action will be decided based on level of risk and availability of resources (financial/time). See Appendix B for the risk matrix used and complete risk assessment.

A few features of the Grimshaw Gravels Aquifer deserve specific mention as defining characteristics of this area and subsequently risks to the aquifer.

- i) Water wells are high risk as they are a direct conduit to the aquifer. Management and maintenance of water wells that are in use is the responsibility of the owner. Owners also manage land use for local well capture zones, which is the area that specifically contributes groundwater recharge to a pumping well.
- ii) Abandoned (meaning those that are no longer maintained) water wells are even higher risk as management is often overlooked or there is none.
- iii) The Grimshaw gravels are just that, a huge bed of gravels attractive to the gravel industry. As such, pressures to increase or sustain gravel mining over time will continue to erode the drift layer protecting the aquifer increasing the number and size of vulnerable areas.

2.3.1 Land use

The lobes of the aquifer, where most of the ground water is accessed have been grouped into 3 risk zones (RZ). Risk zones 1 and 3 comprise the lobe, the main groundwater recharge area for the aquifer, plus the surrounding areas that may be contributing run off and recharge to the aquifer lobes as well as the outlying water wells. Risk Zone 2 is outside the main aquifer but represents the upper watershed and contains the Whitemud Hills, an upland area that provides recharge to some extent to the aquifer located down slope (Figure 7: Map of Grimshaw Gravels (red outline, Prairie Farm Rehabilitation Administration 1998), Proposed Risk Zone boundary (blue outline), Approximate extent of Old Fort Gravel Terrace (spotted dark grey, Prairie Farm Rehabilitation Administration 1998), and population centers including towns, hamlet's and Locality's (black circle) overlaid on hillshade (Alberta Environment and Parks, Government of Alberta)). The risk zone therefore encompasses the lands where land use can potentially influence aquifer water quantity and quality.

Within the Risk Zones, we have identified vulnerable areas (VA), which are areas in the aquifer that have less than 4 meters of overburden. Overburden refers to the thickness of soil overlying the aquifer. These areas are deemed more vulnerable to surface influence because overlying soils have some ability to filter out contaminants or block their passage into the aquifer. Excavations like gravel pits can also reduce the thickness of overburden, and therefore increase the risk to contamination. The location and number of gravel pits have been identified to aid management.

When assessing risk, potential contamination sites in vulnerable areas are, therefore, higher risk locations.

Quantifying human activity on the land, this exercise is termed land use assessment, helps us gauge the magnitude of risk to the aquifer. The location and extent of area subject to a specific land use can help us to determine where the potential threat is and what its extent is. This concept has been termed footprint of human footprint. For example, agriculture has a footprint of 55,481 hectares in the Grimshaw Gravels Aquifer area; 43% of the entire aquifer area.

Land use has been grouped into 3 categories: 1) Linear features footprint (roads, rail lines, seismic and pipelines etc); 2) Industrial/urban footprint (urban, rural, mines, pits, waste facilities, sewage, reservoirs sumps and high density livestock); and 3) Agriculture and Forestry footprint (Table 3: Human Footprint Summary). The footprint of each land activity is quantified by area (hectare) and percent and the location is mapped (Table 4: Human footprint Overview and Figure 14: Human footprint Inventory, Figure 15: Human Footprint Inventory – Industrial and Rural Sites, Figure 16: Human Footprint Inventory – Linear Footprint, & Figure 17: Human Footprint Inventory – Agriculture and Forestry). Land use is quantified within each vulnerable area, outside the vulnerable areas, for each risk zone and for the aquifer as a whole.

Risk Zones 1 and 2 have similar footprints, with roughly 33% of the area subject to land use. Of that 33%, greater than 20% of Risk Zone 1 is in agriculture while in Risk Zone 2, greater than 20% is in forest harvest or cut blocks. In both these zones, the industrial/urban footprint and the linear footprint are less than 5% of the total area. Risk Zone 3, the largest zone, has a substantially larger footprint with 67% of the area in land use. Of that percentage, 58% is in agriculture and with equal footprints of approximately 3% each for cut blocks, industrial/urban and linear.

It is important to note, that surface water quality and quantity is often impacted in watersheds where the footprint exceeds 60% of the area.

Thirteen (13%) percent of the area (16,499 ha.) of the aquifer is comprised of wetlands. Wetlands include bogs, fens, marshes, open water and swamps. One third of this wetland area, 5,600 hectares, is in the open water category constituted by Lac Cardinal. Lac Cardinal is of primary importance to the aquifer.

Table 1: Grimshaw Gravels Aquifer: Risk Assessment Results

	Potential Risk to Source Water	Risk Assessment Score
1.	Gravel pits	High
2.	Livestock operations	High

3.	Active water wells	High
3.	Active water wens	riigii
4.	Abandoned water wells	High
5.	Application of agricultural chemicals	High
6.	Farming land use and water management practices	High
7.	Orphaned oil & gas wells	High
8.	Pipelines	High
9.	Private septic systems	High
10.	Abandoned below ground tanks (farms, former gas stations)	High
11.	Road salt application	High
12.	Dangerous good transport routes	Medium
13.	Historical dumps and landfills	Medium
14.	Improper disposal of household hazardous waste	Medium
15.	Fracking activities	Medium
16.	Abandoned rail line/stations/stock yards	Medium
17.	Microplastics	Medium
18.	Borrow pits/dug outs	Medium
19.	Active fuel storage tanks on farms	Medium
20.	Forestry	Medium

21. Storage of agricultural chemicals (private)	Low
22. Rail transport	Low
23. Improper disposal of hazardous waste at businesses, shops, etc.	Low
24. Active landfills, dumps and transfer stations	Low
25. Inactive bulk plants	Low
26. Maintenance yards and industrial sites	Low
27. Residential yard maintenance	Low
28. Municipal sewage	Low
29. Hydro-vac trucks in transit	Low

2.4 RECOMMENDED MANAGEMENT ACTIONS

The project team identified existing management actions currently in place for each identified risk to the Grimshaw Gravels Aquifer in addition to identifying recommended management actions that could be implemented to reduce or eliminate the threat to the Grimshaw Gravels Aquifer for each identified risk. It should be noted that the recommended management actions are non-binding and seek to guide the implementation of source water protection measures by the Grimshaw Gravels Aquifer Management Advisory Association, Mighty Peace Watershed Alliance, and the counties, communities, and residents within the Grimshaw Gravels Aquifer. The current and proposed management actions are listed in the following table.

Table 2: Grimshaw Gravels Aquifer Risk Management Actions

Num.	Risk Ranking (High to Low)	Potential Risk to Source Water	Existing Management Actions	Proposed Management Actions
1.	High	Gravel pits	- Permitting process with conditions	 a) Assess and review conditions b) Compare permitting conditions across municipalities to create consistency/standardize/improve on existing practices c) Improve review and approval process for pits below 5 hectares, including more in-depth hydrogeological review at the municipal level. Engage AEP policy on update regarding pits of this size located on top of the Grimshaw Gravels Aquifer. d) Conduct a study to determine the maximum surface area that should be exposed at any time over the aquifer that would result in an unacceptable impact to water quality. e) Create responsible development plan using a cumulative effects approach
2.	High	Livestock operations (including seasonally concentrated feeding areas)	 Existing Beneficial Management Practices Courses delivered on manure management, drainage, etc. Peace Country Beef and Forage Association do 	 a) Partner with Peace Country Beef and Forage Association and agriculture service boards to develop and deliver an aquifer-specific course and encourage adoption of best practices b) Create a local stewardship group c) Identify and flag seasonally concentrated feeding areas to potentially incorporate sites into groundwater monitoring study

			"discovery farm" tours - No confined feeding operations on aquifer bylaw	
3.	High	Active water wells	 Working Well workshops (every 2-3 years) Well aware program 5-6 wells tested in 2016 and 2017 	 a) Develop voluntary/citizen science private water well monitoring program (quality and level) b) Develop an on-going voluntary water well survey program to identify active wells, promote the well aware and working well programs c) Develop and deliver education on well head protection zones and collection of water samples for analytical testing d) Create a responsible development plan using a cumulative effects approach
4.	High	Abandoned water wells	- Provincial database of well records	 a) Update existing list/map of active/inactive water wells; conduct ground truthing and locate water wells missing from list/map b) Education and outreach program around proper water well decommissioning c) Prioritize/risk rank water wells for decommissioning d) Discuss potential program to fund decommissioning of high risk abandoned water wells.
5.	High	Application of agricultural chemicals	- Existing Beneficial Management Practices and Material Safety Data Sheets	 a) Establish baseline monitoring program for both soil and groundwater b) Conduct study to determine pathways of contamination (i.e. aquifer recharge through impacted soil). c) Develop long term cumulative effects monitoring program to examine whe loading is occurring. d) Collect feedback on and modify Beneficial Management Practices, as appropriate
6.	High	Farming land use and water management practices	 Existing Beneficial Management Practices, water conservation policies, etc. Environmental farm plans in place 	 a) Develop a communication and outreach strategy about wetland policy and other relevant policy in consultation with Alberta Environment and Parks wetland specialist. b) Prioritize focus areas based on wetland quality, sensitivity, etc. c) Develop a targeted drainage management education program; review and improve drainage management component of environmental farm plan d) Promote Environmental Farm Plan
7.	High	Orphaned oil and gas wells	- Orphan well program	 a) Engage Alberta Energy Regulator and Orphan Well Association to invento wells b) Inventory well condition and prioritize decommissioning based on risk c) Increase communication with Alberta Energy Regulator about orphan well orphan well program, decommissioning status, etc.

8.	High	Pipelines	- Regulations and Emergency Response Plan in place	 a) Develop communication plan with input from industry and Alberta Energy Regulator to communicate identified high risk/sensitive areas and recommendations for those areas (increased frequency of inspections, installation of shut off valves, etc.) b) Review Emergency Response Plans
9.	High	Private septic systems	- Regulations (new systems)	 a) Develop education and outreach program on private septic systems maintenance b) Develop an online training course on private septic systems in partnership with a post-secondary institution
10.	High	Abandoned below ground tanks (farms, former gas stations)	- Contaminated sites program	 a) Inventory locations not already listed on the Environmental Site Assessment Repository and prioritize cleanup based on high risk/sensitive areas b) Conduct targeted phase I Environmental Site Assessments based on sensitive areas c) Develop an education and outreach program about what to do if a contamination is discovered (eg., below ground tank).
11.	High	Road salt application		 a) Plan a communication meeting with LaPrairie Group to discuss Beneficial Management Practices, training, etc. b) Test private water wells near roads for salts to determine if there is an impact
12.	Medium	Dangerous goods transport routes	 Dangerous goods route regulations Emergency Response Plan in place 	 a) Review and increase awareness around Emergency Response Plans regarding impacts to the aquifer b) Communicate high risk/sensitive areas c) Collect information at weigh stations to determine material and volume of dangerous goods being transported d) Recommend that Dangerous Goods routes bypass the aquifer where feasible (i.e. not short haul)
13.	Medium	Historical dumps and landfills	- Decommissioned and reclaimed to applicable standards	 a) Increase communication around monitoring and reporting (as per reclamation and decommissioning requirements) b) Inventory locations, decommission and reclamation standards applied, determine if monitoring and reporting is occurring c) Engage Alberta Environment and Parks to potentially reclaim old sites to more stringent guidelines in sensitive areas
14.	Medium	Improper disposal of household hazardous waste	 Peace River eco-center Spring clean-ups (check which municipalities) Paper and plastic bins in Berwyn 	 a) Increase community education, outreach, and engagement (newsletters, newspapers, social media, radio) b) Build on community clean-up, increase engagement, education, hold during the same week/weekend every year c) Improve signage at transfer stations

			Transfer station in GrimshawAppliance pick-up services	d) School education program
15.	Medium	Fracking and active oil and gas wells	 Alberta Energy Regulator approvals process Conditional conductor pipe installed initially (directive 8) MD of Peace has a policy and Northern Lights has a by-law Within 1 km of a well, must monitor before and after fracking Well inspections and maintenance 	 a) Have all municipalities within aquifer incorporate by-law b) Engage Alberta Energy Regulator in discussion around developing buffer zone around aquifer/recharge areas (using precautionary principle), what is required to establish, willingness to adopt (consider adding Grimshaw to Directive 8) c) Engage Alberta Energy Regulator in discussion around well inspections, maintenance, particularly for those wells constructed prior to development of by-law d) Request Alberta Energy Regulator develop communication materials with technical content around wells
16.	Medium	Abandoned rail line/stations/stock yards	- Locations of abandoned lines, stations, stock yards identified for Whitelaw	 a) Engage Canadian Transportation Agency around decommissioning, monitoring, etc. b) Determine locations and generate map of all abandoned lines, stations, stock yards c) Engage agricultural services board (or applicable body) around application practices of herbicides for weed control on rail line
17.	Medium	Microplastics		 a) Incorporate microplastics as parameter to assess in environmental baseline study b) Promote plastic reduction practices
18.	Medium	Borrow pits/dug outs	- Section under the Water Act, must apply to create	 a) Reclaim existing borrow pits that are not currently in use b) Develop or reference dugout best practices documents, incorporate into public education and outreach plan c) Engage in reclamation (where needed/possible)
19.	Medium	Active fuel storage tanks on farms	- Federal above ground storage tank regulations	 a) Incorporate information and mitigation information into farm plans (pertaining to risks to aquifer as well as Emergency Response Plan in worst case scenario) b) Incorporate fuel tank best management practices/regulations into farm plans

20.	Medium	Forestry		a) Communicate with Alberta Agriculture and Forestry to reduce use of herbicides, manage run-off, flag special/sensitive areas
21.	Low	Storage of agricultural chemicals (private)	- Best management practices	a) Education and outreach around storage of agricultural chemicals, impact on aquifer, sensitive areas.
22.	Low	Rail transport	- Emergency Response Plans in place	 a) Identify critical/sensitive areas and share information with rail companies b) Review Emergency Response Plans and improve (if needed), request additional spill response equipment on-site within aquifer (if needed)
23.	Low	Improper disposal of hazardous waste at businesses, shops, etc.	- Regulations in place, operating/business licence includes regulations	a) Review business licence agreements to incorporate mitigation measures identified in source water planb) Develop education and outreach materials/program for business owners on aquifer risks, best practices, etc.
24.	Low	Active landfills, dumps, and transfer stations	- Regulations in place	a) Engage landfill and transfer station operators of facilities in sensitive areas of the aquifer to increase due diligence, compliance with regulations, increased signage, etc.
25.	Low	Inactive bulk plants	- Decommissioned to regulations and standards of the time	a) Identify locations, determine risk to source water, owner, and if site has been decommissioned or remediated
26.	Low	Maintenance yards and industrial sites	- Regulations, Beneficial Management Practices, Workplace Hazardous Materials System, Transportation of Dangerous Goods	 a) Engage with Alberta Environment and Parks to focus inspections/increase frequency of inspections in sensitive areas of aquifer b) Identify sites and engage around following regulations/Beneficial Management Practices and disseminating information on aquifer risk and sensitivity
27.	Low	Residential yard maintenance	- Acreage weed control spraying program with associated by-law for MD of Peace	a) Education and outreach around risk of pesticides and herbicides to aquifer, accessing existing literature (green acreages guide)

28.	Low	Municipal wastewater treatment facilities	Compliance with federal or provincial regulationsMonitor effluent quality	 a) Ensure continuing compliance with regulations b) Ensure facilities have communication plan with downstream communities, residents, landowners, etc. in the event of an emergency release
29.	Low	Hydro-vac trucks in transit	- Best practices in place	a) Ensure hydro-vac operators are following best practices

3.0 PLAN IMPLEMENTATION

The Grimshaw Gravels Aquifer source water protection plan represents a joint effort and commitment to protect and maintain water quality of the Grimshaw Gravels Aquifer by The Mighty Peace Watershed Alliance, the municipalities who are part of the Grimshaw Gravels Aquifer Management Advisory Association (Clear Hills County, MD of Peace, MD of Fairview, Town of Grimshaw, Village of Berwyn, and County of Northern Lights), Alberta Environment and Parks, as well as the people who live within the aquifer and rely on it as their drinking water source.

The working committee will use the plan to engage municipalities in discussions and on the ground efforts to improve or maintain water quality of the Grimshaw Gravels Aquifer. In addition, the working committee will use the plan as a tool to engage the general public to increase awareness of and participation in water stewardship opportunities within the region. It is the hope of the working committee that implementation of the mitigation actions identified in the plan will lead to proactive people doing proactive things to protect the water quality of the Grimshaw Gravels Aquifer.

The working committee will also use the plan to engage with the provincial government to ensure policy and environmental monitoring efforts align with the water management goals and priorities outlined in the plan.

The working committee will meet on a quarterly basis to review progress, identify new mitigation actions to be implemented, and to add any newly identified risks to source water to the plan. The working committee will make updates on their progress available to the public on an annual basis.

The source water protection plan is voluntary and non-binding; however, it is the hope of the working committee that it will guide improved water management and protection within the region, increase water stewardship, and bring individuals together to tackle shared water issues.

APPENDIX A - Additional maps and figures




Figure 4: Inset map of Hydrologic Unit Code (HUC) Watersheds of Alberta (Source: Alberta Environment and Parks, Government of Alberta) and Grimshaw Gravels (red outline, Source: Prairie Farm Rehabilitation Administration 1998)




Figure 5: A reproduction of figure 17 from the AGS report. – Map of bedrock straths for Grimshaw, Old Fort and Shaftesbury (data from Alberta Geological Survey)




Figure 6: Underlying geology of the Grimshaw Gravel Aquifers (Source: Architecture and Geometry of Basal Sand and Gravel Deposits, Including the 'Grimshaw Gravels', Northwestern Alberta (NTS 84C and 84D) produced by the Alberta Geological Survey)




Figure 7: Map of Grimshaw Gravels (red outline, Prairie Farm Rehabilitation Administration 1998), Proposed Risk Zone boundary (blue outline), Approximate extent of Old Fort Gravel Terrace (spotted dark grey, Prairie Farm Rehabilitation Administration 1998), and population centers including towns, hamlet's and Locality's (black circle) overlaid on hillshade (Alberta Environment and Parks, Government of Alberta)




Figure 8: Map of Proposed Risk Zones, Grimshaw Gravels, population centers, and Areas Vulnerable to Contamination




Figure 9: Map of Proposed Risk Zone with Areas Vulnerable to Contamination: extent of clay cover less than or equal to 4 metres




Figure 10: Map of Wetlands and Forest & Agriculture Landcover




Figure 11: Domestic, irrigation and municipal wells




Figure 12: Oil and gas wells by type




Figure 13: Potential Point Sources of Contamination

Table 3: Human Footprint Summary

GRIMSHAW GRAVEL AQUIFER HUMAN FOOTPRINT SUMMARY

			No. of the last of	TOTAL	RISK ZONE 2			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		TOTAL		TOTAL			TOTAL		GRAND TOTAL	
	Urban and Rural Features	ha		ha		he		ha		
-	Rural (Residential/Industrial)	418.7	2.4%	29.3	0.1%	1,501.8	1.7%	1,949.8	1	
	Urban	1.0			0.2.0	127.0	0.1%	128.0	ō	
Site	Industrial Features									
<u></u>	Industrial Site Rural	67.5	0.4%	3.4	0.0%	72.7	0.1%	143.6	0	
를 받	Well Site	5.3	1000000	38.1	0.2%	158.2	0.2%	201.6	0	
al and Ru ootprint	High Density Livestock Operation			200		18.5	0.0%	18.5	0	
Industrial and Rural Site Footprint	Resource Extraction Features									
stri	Mine Site	177.2	1.0%	- 10		289.4	0.3%	466.7		
ndr.	Human created Waterbodies									
-	Borrow-Pits/Dugouts/Sumps	17.9	0.1%	7.8	0.0%	98.6	0.1%	124.3		
	Municipal (Water and Sewage)				4	10.7	0.0%	10.7	(
	Reservoirs					7.7	0.0%	7.7	(
	SUB	TOTAL MO.7	4.0%	76.6	0.4%	2,284.6	2.6%	3,050.8		
	Hard Surface Features	16								
- 5	Road - Hard Surface	117.4		46.2	0.2%	849.0	1.0%	1,012.6	- 1	
	Rail - Hard Surface	9.7	0.1%			18.5	0.0%	28.2	- (
	Vegetated Roads, Verges and									
4.5	Road/Trail(Vegetated)	54.7		9.3	4.3%	192.6	0.2%	256.6		
E 5	Road - Vegetated Verge	222.3		78.7	0.496	1,129.4	1.3%	1,430,4	4	
Linear Footprint	Rail - Vegetated Verge	19.8	0.1%		-	39.7	0.0%	39.3		
	Soft Linear Features									
	Transmission Line Pipeline	5.0	244	4.8	0.0%	75.3	0.1%	80.1	- 1	
	Seismic line	37.6 271.2	- California	61.0 240.1	1.1%	91.0 461.6	0.1%	189.6 972.9		
		TOTAL 732.6		440.1	2.1%	2,857.2	3.3%	4,029.9		
	Cultivation Features									
d	Cultivation (Crop/Pasture/Bare Ground)	3,564.2	20.8%	1,141.3	5.3%	50,775.9	57.9%	55,481.3	4	
まるま										
Forestry Footprint	Managed Forest Features Cut Blocks	684.8	4.0%	5,650.9	26.4%	2,334.4	2.7%	3,670.1		
2 Z Z	Misc. Features									
	Other Disturbed Vegetation	1.2	0.0%	100	1	70,8	0.1%	72.0	(
	SUB	TOTAL 4,250.2	25%	6,792.2	31.8%	53,181.0	60.7%	64,223.4	50	
	TOTAL HUMAN FOO	TPRINT 3,670.5	33%	7,310.8	34%	58,322.8	67%	71,304.1		
	Area with NO Human Footprint		67%	14,076.2	66%	29.305.6	33%	54.810.1		
		TOTAL 17,098.8			77.0			27 .27 .20		

Table 4: Human footprint Overview

RISK ZONE 2 RISK ZONE 3 RISK ZONE 2 RISK ZONE 3 RISK

GRIMSHAW GRAVEL AQUIFER HUMAN FOOTPRINT OVERVIEW

34




Figure 14: Human footprint Inventory




Figure 15: Human Footprint Inventory – Industrial and Rural Sites




Figure 16: Human Footprint Inventory – Linear Footprint




Figure 17: Human Footprint Inventory – Agriculture and Forestry

APPENDIX B

Source Water Risk Assessment

The potential risk associated with each contamination source in Table 6 was determined by multiplying the **Likelihood of Occurrence** by the **Impact of Occurrence**. Three steps were followed by the Working Committee to complete the risk assessment.

Step 1 Likelihood: The Working Committee used Table 5 showing the Likelihood of Occurrence and associated value (1-5).

Table 5: Likelihood of Occurrence

Likelihood	Value			
Rare				
Extremely small chance of happening in the next 4 to 5 years	1			
Unlikely				
Is possible but unlikely to occur in the next 4 to 5 years				
Moderate				
50/50 chance of happening in the next 4 to 5 years				
Likely				
Is possible and likely to occur in the next 4 to 5 years	4			
Almost certain				
Is expected to happen at least once in the next 4 to 5 years	5			

Step 2 Impact: The Working committee used Table 6 showing the Impact of Occurrence and associated value (1-5).

Table 6: Impact of Occurrence

Impact	Value
Insignificant	
No significant impact to human or environmental health	1
Minor	
Localized short term impact, no significant impact on human or ecosystem health	2
Moderate	
Widespread long term aesthetic issues, no significant impact on human or	3
ecosystem health	
Severe	
Short to medium term effect on human or ecosystem health (e.g. actual illness)	4
Catastrophic	
Long term effects on human or environmental health	5

Step 3 Risk Assessment Score: The Working Committee combined the Likelihood of Occurrence (Table 5) and the Impact of Occurrence (Table 6) to produce a Risk Assessment Score Analysis Matrix as shown in Table 7.

Table 7: Risk Assessment Score Analysis Matrix

Likelihood of	Impact of Occurrence					
Occurrence	Insignificant	Minor	Moderate	Severe	Catastrophic	
Rare	1	2	3	4	5	
(in next 4 -5 years)						
Unlikely	2	4	6	8	10	
(in next 4 -5 years)						
Moderate	3	6	9	12	15	
(in next 4 -5 years)						
Likely	4	8	12	16	20	
(in next 4 -5 years)						
Almost Certain	5	10	15	20	25	
(in next 4 -5 years)						

The Working Committee used the 25-point ranking system in Table 8 to determine the numerical value above which the risk scores should be interpreted as "high risk" (red), "medium risk" (orange), and "low risk" (yellow). As the working committee did not assign a risk ranking value higher than 20, the designations of high, medium, and low risk were obtained by dividing the highest risk ranking score (20) by three. These designations assist with identifying the highest priority risks and determining which risk mitigation actions should be prioritized.

Table 8: Grimshaw Gravels Aquifer Risk Assessment Results

	Potential Risk to Source Water	Likelihood of Occurrence	Impact of Occurrence	Risk Assessment Score
1.	Gravel pits	5	4	20
2.	Livestock operations	5	4	20
3.	Active water wells	5	4	20
4.	Abandoned water wells	5	4	20
5.	Application of agricultural chemicals	4	4	16

6.	Farming land use and water management practices	5	3	15
7.	Orphaned oil & gas wells	5	3	15
8.	Pipelines	3	5	15
9.	Private septic systems	5	3	15
10.	Abandoned below ground tanks (farms, former gas stations)	5	3	15
11.	Road salt application	5	3	15
12.	Dangerous good transport routes	4	3	12
13.	Historical dumps and landfills	4	3	12
14.	Improper disposal of household Hazardous Waste	4	2	12
15.	Fracking	2	5	10
16.	Abandoned rail line/stations/stock yards	5	2	10
17.	Microplastics	5	2	10
18.	Borrow pits/dug outs	3	3	9
19.	Active fuel storage tanks on farms	4	2	8
20.	Forestry	5	1.5	7.5
21.	Storage of agricultural chemicals (private)	3	2	6
22.	Rail transport	3	2	6
23.	Improper disposal of hazardous waste at businesses, shops, etc.	3	2	6

24.	Active landfills, dumps and transfer stations	3	2	6
25.	Inactive bulk plants	3	2	6
26.	Maintenance yards and industrial sites	3	2	6
27.	Residential yard maintenance	5	1	5
28.	Municipal sewage	2	2	4
29.	Hydro-vac trucks in transit	2	2	4

APPENDIX C

Additional tables used in the development of the source water protection plan

Table 9: Grimshaw Gravels Aquifer: Potential risks affecting source water, location, approximate distance to source (where applicable), contaminants of concern associated with risk, and transport mechanism of the identified contaminants of concern

	otential Risk to Source Water	Owner/ Contact	Location	Distance to Source (m)	Contaminants of Concern	Transport Mechanism
1.	Gravel Pits	 Municipal Governments Private Government of Alberta Alberta Transportation 	• 51 gravel pits; list with associated LSD's available upon request	• Various	 Fuel Hydrocarbons Surface contaminant inflow, run-off Pesticides/herbicides Salt Heavy metals 	Run-offDirect deposition
2.	Livestock operations (including seasonally concentrated feeding areas)	• Private	• Various	• Various	BacteriaNutrientsPharmaceuticalsOrganics	LeachingRun-offDirect deposition
3.	Active water wells	Private ownersMunicipal governmentsWater co-ops	• Various	• Various	 Hydrocarbons Nutrients Heavy metals Chemicals Salt	Run-offInfiltrationDirect deposition
4.	Abandoned water wells	Current land ownersIndustryCorporate	• Various	• Various	 Hydrocarbons Nutrients Heavy Metals Chemicals Salt	Run-offInfiltrationDirect deposition
5.	Application of agricultural chemicals	Private ownersCorporate farms	• Various	• Various • 0 m	Heavy metalsPesticidesHerbicidesFungicides	 Infiltration Run-off Direct Deposition

6. Farming land use & water management practices	Private farmersCorporate farmers	• Various	• Various • 0 m	Heavy metalsPesticidesHerbicidesFungicides	InfiltrationRun-offDirect Deposition
7. Orphaned oil & gas wells	 Alberta Energy Regulator Government of Alberta 	• Known, mapping (Alberta Energy Regulator shape files)	• Various	 Hydrocarbons Heavy metals Salts	Run-offDirect depositionInfiltration
8. Pipelines	CorporateAlberta Energy Regulator	• Various (mapping)	• Various	Oil & GasCondensateSalts	InfiltrationDirect deposition
9. Private septic systems	Land owner	• Various	• 0 m	 Hydrocarbons Pharmaceuticals Bacteria Nutrients Garbage Pathogens Heavy metals 	InfiltrationDirect depositionRun-off
10. Abandoned below ground tanks (farms, former gas stations)	IndustryPrivate	Whitelaw Brownvale	• 0 m	• Gas & diesel • Used oil	InfiltrationDirect depositionRun-off
11. Road salt storage and application	 LaPrairie Group Government of Alberta Alberta Transportation 	 Local area highways on all numbered highways Grimshaw Highway Maintenance Yard 	• 0 m	• Salts	Run-offInfiltrationDirect deposit

12. Dangerous goods transport routes	 Alberta Transportation Companies Municipalities Alberta Serious Incident Response Team 	• Various (maps)	Various	 Hydrocarbons Produced water Various other chemicals	 Infiltration Direct deposit Run-off Leaching
13. Historical dumps and landfills	Municipalities	• Mapped (DW)	Various	 Household hazardous waste Garbage Pharmaceuticals Appliances Hydrocarbons Volatile organic compounds Heavy metals Salts Methane gas 	Leaching/infiltrationDirect depositionRun-off
14. Improper disposal of household hazardous waste	Land owners	• Various	• 0 m	 Household hazardous waste Garbage Pharmaceuticals Appliances 	 Infiltration/leaching Direct deposition Run-off
15. Fracking and active oil and gas wells	Oil and Gas Industry Alberta Energy Regulator	Various (mapping appendix)	• Various • 0m 1000m	 Fracking chemicals Drilling chemicals Salts Hydrocarbons Heavy metals 	Direct depositionRun-offLeaching
16. Abandoned rail line/stations/ stock yards	Canadian National Railway	Grimshaw to Hines Creek	• 0 m	 Hydrocarbons PAH's Heavy metals Creosote Herbicides and pesticides 	Run-offLeachingDirect deposit
17. Microplastics	 Alberta Environment and Parks Municipalities Private Residents 	• Various	• Various	 Polyaromatic hydrocarbons Nitrogen Sulphur Phenols 	 Suspended solids in runoff Suspended solids in effluent

18. Borrow pits/dug outs	 Private land owners Government of Alberta Alberta Transportation Municipal Government 	Various (on cumulative mapping)	• Various	 Hydrocarbons Fuel Surface contaminant inflow, run-off Pesticides/herbicides Salt Heavy metals Various other agricultural chemcicals 	Run-offLeachingDirect deposition
19. Active fuel storage tanks on farms	Private land owners	Various (inventory of active?)	• Various	HydrocarbonsHeavy metalsFuel	LeachingRun-offDirect deposition
20. Forestry	IndustryPrivate companiesDMI Ltd.	• Various (map showing forestry leases, cut blocks)	• 0 m	PesticidesHerbicidesWater quality degradation due to sedimentation	Run-offDirect depositionLeaching/infiltration
21. Storage of agricultural chemicals (private)	 Private owners Corporate farms	• Various	• Various • 0 m	Heavy metalsPesticidesHerbicidesFungicides	 Leaching Ground Water Transport Run-Off Direct Deposition
22. Rail transport	 Canadian National Railway Federal Corporate Emergency response Alberta Serious Incident Response Team 	Various (east of Grimshaw)	• 0 m	 Creosotes Preservatives Hydrocarbons Pesticides and herbicides 	 Infiltration – Leaching Run-off Direct deposition
23. Improper disposal of hazardous waste at shops, businesses, etc.	PrivateCorporateRetail	• Various (public works yards, businesses, mechanics,	• 0 m	 Household hazardous waste Pharmaceuticals Hydrocarbons Garbage Appliances 	LeachingDirect depositionRun-off

24. Active landfills, dumps, and transfer stations	MunicipalitiesPrivate	WebervilleFairviewBrownvaleWhitelaw	• Various	 Household hazardous waste Pharmaceuticals Hydrocarbons Garbage Appliances Volatile organic compounds Heavy metals Salts Methane gas 	Leaching/infiltrationDirect depositionRun-off
25. Inactive bulk plants	•	•	•	•	•
26. Maintenance yards and industrial sites	 Goldstar Pinetree logging Industry Municipalities Private 	Various	• 0 m	 Hydrocarbons Transport materials Fuel Diesel	 Leaching Direct deposition Run-off
27. Residential yard maintenance	Private landowners	• Various	• 0 m	 Nutrients Pesticides Herbicides	 Leaching Direct deposition Run-off
28. Municipal wastewater treatment facilities	Municipalities	WhitelawWebervilleMapped	• 0 m	NutrientsPharmaceuticalsBacteria	Infiltration/leachingDirect depositionRun-off
29. Hydro-vac trucks in transit	MunicipalitiesPrivateGovernment of Alberta	• Various	• 0 m	 Hydrocarbons Pharmaceuticals Bacteria Nutrients Garbage Heavy metals Oil Fuel 	 Infiltration/leaching Direct deposition Run-off

Table 10: Grimshaw Gravels Aquifer: Timelines and Partnerships. Note that the timelines assigned to each risk mitigation action are used for the purposes of prioritization; the ability of mitigation actions to be implemented may be limited by money and resources

Num.	Risk Ranking High - Low	Potential Risks to Source Water	Proposed Management Actions	Timeline (When to start?) 1= within 1-2 yrs. 2= within 3 yrs. 3= within 5 yrs.	Stakeholders/ Partnerships
1.	20	Gravel pits	 a) Access and review conditions for approvals b) Compare permitting conditions across municipalities to create consistency/standardize/improve c) Improve review and approval process for pits below 5 hectares, including more in-depth hydrogeological review d) Conduct a study to determine the maximum surface area that should be exposed at any time e) Create responsible development plan and guide that incorporates best management practices, results of study, etc. 	a) 1 b) 1 c) 2 d) 2 e) 2	 a) Gravel pit operators, municipalities, AEP, or MPWA b) GGAMAA, municipal development officers, MMSA c) AEP, gravel pit operators, development officers, MMSA d) AEP, AB sand and gravel association (local chapter) e) Municipalities, AEP, gravel pit operators, ASGA, MPWA
2.	20	Livestock operations	 a) Partner with PCBFA and agriculture service boards to develop and deliver an aquifer-specific course and encourage adoption of best practices b) Identify and flag seasonally concentrated feeding areas to potentially incorporate sites into groundwater monitoring study 	a) 1 b) 2	 a) PCBFA, agriculture service boards, MPWA, AAF (Alberta agriculture and forestry), Alberta Beef Producers (ABP) b) Agriculture fieldmen (ASB), GGAMAA, MPWA
3.	20	Active water wells	 a) Develop private water well monitoring program b) Develop an on-going strategy to identify active wells c) Promote the well aware and working well programs d) Develop citizen science program for water well monitoring (quality and level) e) Develop and deliver education on well head protection zones 	a) 2 b) 1 c) 1 d) 1 e) 1	 a) AEP, GGAMAA, MPWA, AGS b) GGAMAA, working well program, MPWA, ASB c) Agriculture societies, working well program, GGAMAA, municipalities d) GGAMAA, health unit, MPWA, PCBFA, post-secondary institutions, schools (junior and high) e) GGAMAA, MPWA, municipalities, PCBFA
4.	20	Abandoned water wells	 a) Update existing list/map of active/inactive water wells; conduct ground truthing and locate water wells missing from list/map b) Education and outreach program around proper water 	a) 1 b) 1 c) 3	 a) GGAMAA, MPWA, ASB, historical societies, museum boards b) GGAMAA, MPWA, working well program, agriculture societies,

5.	16	Application of agricultural chemicals	well decommission c) Prioritize/risk rank water wells and decommission a) Establish baseline monitoring program b) Conduct study to determine pathways of contamination via aquifer recharge c) Collect feedback on, review and modify BMP's, as appropriate	a) 2 b) 3 c) 2	municipalities c) GGAMAA, Alberta Environment and Parks a) PCBFA, GGAMAA, MPWA, Post secondary institutions, ASB b) AEP, post secondary institutions, GGAMAA, MPWA, agriculture and forestry
6.	15	Farming land use and water management practices	 a) Develop a communication and outreach strategy about wetland policy and other relevant policy b) Prioritize focus areas based on wetland quality, sensitivity, etc. 	a) 1 b) 2 c) 2 d) 1	 c) PCBFA, ASB, NPARA, AAF a) MPWA, PCBFA, AEP, NPARA, ASB b) AEP, DU, ASB, municipalities, MPWA, Boreal Research Institute,
	1.5		 c) Develop a targeted drainage management education program; review and improve drainage management component of environmental farm plan d) Promote Environmental Farm Plan (those without an EFP or if saturation 100%) 		ABMI c) AEP, ASB, PCBFA, NPARA d) PCBFA, NPARA, AAF, ASB
7.	15	Orphaned oil and gas wells	 a) Engage AER and Orphan Well Association to inventory wells b) Inventory well condition and prioritize decommissioning based on risk c) Increase communication with AER about orphan wells, orphan well program, decommissionings, etc. 	a) 1 b) 2 c) 1	 a) AER, orphan well association, petroleum association b) Orphan well program, summer students, consultant c) AER, orphan well program, GGAMAA, MPWA
8.	15	Pipelines	 a) Develop communication plan with industry to communicate identified high risk/sensitive areas and recommendations for those areas (increased frequency of inspections, installation of shut off valves, etc.) b) Review Emergency Response Plans 	a) 1 b) 1	a) AER, GGAMAA, MPWA b) AER, GGAMAA, MPWA, municipalities
9.	15	Private septic systems	a) Develop/deliver education and outreach program on PSDS maintenance b) Develop an online training course on PSDS in partnership with a post-secondary institution	a) 1 b) 1	 a) AWWOA, Water North Coalition, agriculture societies, municipalities, GGAMAA b) Water North Coalition, TSAG, Northern Lakes College
10.	15	Abandoned below ground tanks	 a) Inventory locations and prioritize cleanup based on high risk/sensitive areas on a case by case basis b) Develop an education and outreach program about what to do if a below ground tank is discovered 	a) 1 b) 1	a) AEP, ASIRT b) GGAMAA, MPWA, AEP

11.	15	Road salt application	a)	Plan a communication meeting with La Prairie Group to discuss Beneficial Management Practices, training, etc.	a) b)	1 1	a)	La Prairie, Group, GGAMAA, municipalities, operators
			b)	Test wells and surface water near roads for salts to determine if there is an impact			b)	GGAMAA, MPWA, post secondary institutions, PCBFA, NPARA, Schools
12.	12	Dangerous goods transport routes	a)	Review and increase awareness around Emergency Response Plans regarding impacts to the aquifer, high risk/sensitive areas, spill response. Recommend that Dangerous Goods routes bypass the aquifer where feasible (ie. not shore haul)	a)	1	a)	Transportation, ASIRT, GGAMAA
13.	12	Historical dumps/landfills	a) b)	Inventory locations, determine which decommission and reclamation standards apply, determine if monitoring and reporting is occurring. Increase communication around monitoring and reporting (as per approval/registration requirements) Engage AEP to potentially reclaim old sites to more stringent guidelines in sensitive areas	a) b)		a) b)	GGAMAA, municipalities, AEP GGAMAA, AEP
14.	12	Improper disposal of household hazardous waste	a) b) c) d)	Increase community education, outreach, and engagement (newsletters, newspapers, social media, radio) on proper disposal of HHW Build on community clean-up, increase engagement, education, hold during the same week/weekend every year Improve signage at transfer stations (maybe) School education program	a) b) c) d)	1 2	a)b)c)d)	GGAMAA, MPWA, municipalities, AEP, Alberta Recycling, eco centers, transfer stations, landfills Municipalities, contractors, eco centers, transfer stations, landfills GGAMAA, municipalities, transfer stations Schools, GGAMAA
15.	10	Fracking and active oil and gas wells	a) b) c) d)	Have all municipalities within aquifer incorporate by- law Engage AER in discussion around developing buffer zone around aquifer boundary/recharge areas (using precautionary principle), what is required to establish, willingness to adopt (consider adding Grimshaw to Directive 8) Engage AER in discussion around well inspections, maintenance, particularly for those wells constructed prior to development of by-law Request AER develop communication materials with technical content around wells	a) b) c) d)	2 2	b) c)	Municipalities, GGAMAA, industry, AER GGAMAA, AER, MPWA, AEP GGAMAA, AER, MPWA, AEP GGAMAA, AER, Frac Focus, CAPP, AEP

16.	10	Abandoned rail lines/stations/stock yards	a)b)c)	Engage Canadian Transportation Agency around decommissioning, monitoring, etc. Determine locations and generate map of all abandoned lines, stations, stock yards Engage agricultural services board (or applicable body) around application practices of herbicides for weed control on rail line	a) b) c)	3 2 3	a) b) c)	Canadian Transportation Agency, GGAMAA AEP, CTA, GGAMAA ASB, GGAMAA, CTA
17.	10	Microplastics	a) b)	Incorporate microplastics as parameter to assess in environmental baseline study Promote plastic reduction practices	a) a)	3 1	b)	Post secondary institutions, GGAMAA, MPWASchools, ASB, GGAMAA, MPWA, local businesses, Alberta Recycling
18.	9	Borrow pits/dug outs	a)b)c)	Decommission existing borrow pits that are not currently in use Develop or reference dugout best practices documents, incorporate into public education and outreach plan Engage in reclamation or improvement (where needed/possible) of high risk dug outs	c) d) e)	3 2 3	c)	AB Transportation, AEP, municipalities, landowners GGAMAA, MPWA, PCBFA, NPARA, ASB Landowners, GGAMAA, PCBFA, NPARA, ASB
19.	8	Active fuel storage tanks	a) b)	Incorporate information and mitigation information into farm plans (pertaining to risks to aquifer as well as Emergency Response Plan in worst case scenario) Incorporate fuel tank best management practices/regulations into farm plans	a) b)	2 2		Landowners, NPARA, GGAMAA, PCBFA, ASB PCBFA, GGAMAA, NPARA
20.	7.5	Forestry	a)	Communicate with AAF to reduce use of herbicides, manage run-off, flag special/sensitive areas	a)	1	a)	AAF, GGAMAA, MPWA, Forestry companies (Canfor, DMI)
21.	6	Storage of agricultural chemicals (private)	a)	Education and outreach around storage of agricultural chemicals, impact on aquifer, sensitive areas.	a)	2	a)	NPARA, MPWA, GGAMAA, ASB, PCBFA
22.	6	Rail transport	a) b)	Identify critical/sensitive areas and share information with rail companies Review Emergency Response Plans and improve (if needed), request additional spill response equipment onsite within aquifer (if needed)	a) b)	1	a) b)	GGAMAA, CN, ASIRT, MPWA GGAMA, CN, ASIRT, MPWA

23.	6	Improper disposal of hazardous waste by local businesses	a) b)	Review business licence agreements to incorporate mitigation measures identified in source water plan Develop education and outreach materials/program for business owners on aquifer risks, best practices, etc.	a) b)	3 3		b)]	Municipalities, business owners, GGAMAA, MPWA Municipalities, business owners, GGAMAA, MPWA
24.	6	Active landfills, dumps, and transfer stations	a)	Engage landfill and transfer station operators of facilities in sensitive areas of the aquifer to increase due diligence, compliance with regulations, increased signage, etc.	a)	2	a		Municipalities, operators, GGAMAA, MPWA
25.	6	Inactive bulk plants	a)	Identify locations, determine risk to source water, owner, and if site has been decommissioned or remediated	a)	3	а	a) .	AEP, GGAMAA, MPWA
26.	4	Maintenance yards and industrial sites	a) b)	Engage with AEP to focus inspections/increase frequency of inspections in sensitive areas of aquifer Identify sites and engage around following regulations/BMPs and disseminating information on aquifer risk and sensitivity	a) b)	2 3		b)]	AEP, GGAMAA, MPWA Business owners, GGAMAA, watershed group (future, if established), AEP
27.	4	Municipal wastewater facilities	a) b)	Ensure continuing compliance with regulations Ensure facilities have communication plan with downstream communities, residents, landowners, etc. in the event of an emergency release	a) b)			b)]	Municipalities, GGAMAA, operators Municipalities, GGAMAA, operators, landowners/residents, water coalition north
28.	5	Residential yard maintenance	a)	Education and outreach around risk of pesticides and herbicides to aquifer, accessing existing literature (green acreages guide)	b)	3	f	.]	Landowners, GGAMAA, MPWA, Land Stewardship Center, municipalities, ASB
29.	4	Hydro-vac trucks in transit	a)	Ensure hydro-vac operators are following best practices for spreading	c)	3	9	g) (GGAMAA, companies, landowners

Table 11: List of Abbreviations

Abbreviation	Explanation					
AAF	Alberta Agriculture and Forestry					
AB	Alberta					
ABMI	Alberta Biodiversity Monitoring Institute					
AEP	Alberta Environment and Parks					
ASB	Agriculture Service Board					
ASGA	Alberta Sand and Gravel Association					
ASIRT	Alberta Serious Incident Response Team					
AWWOA	Alberta Water and Wastewater Operators Association					
CAPP	Canadian Association of Petroleum Producers					
CN	Canadian National Railway					
CTA	Canadian Transportation Agency					
DU	Ducks Unlimited					
GGAMAA	Grimshaw Gravels Aquifer Management Advisory Association					
MMSA	Mackenzie Municipal Services Agency					
MPWA	Mighty Peace Watershed Alliance					
NPARA	North Peace Applied Research Association					
PCBFA	Peace Country Beef and Forage Association					
TSAG	Technical Services Advisory Group					

APPENDIX D


Public Engagement Summary

- An online survey was released March 22, 2019 and closed June 13, 2019
- The following responses were received through the online survey.

Q1

How familiar are you with the Grimshaw Gravels Aquifer?






Q2

What activities do you do in the Grimshaw Gravels Aquifer area (Please check all that apply)?






Q3

Have you read the plan?

Answered: 4 Skipped: 0




Q4

Do you think the plan is addressing an important issue?

Answered: 4 Skipped: 0






Q5

Are there risks that we have missed?

Answered: 4 Skipped: 0




Q6

Are you willing to change your practices to support Source Water Protection of the Grimshaw Gravels Aquifer?








Q7

Please provide your postal code to help understand the Grimshaw Gravels Aquifer Source Water Protection Plan in different locations.



- An open house event was held in Grimshaw from 4 pm until 9 pm at the Mile Zero Regional Multiplex on April 9th, 2019.
 - o This event was advertised through the project partners, websites, newsletters and social media. Additionally, this event was held in a public space where people who were unaware of the event had the chance to drop in.
 - o Maps, the draft plan and other materials were available to the public.
 - o Project Team members were also available to explain the plan.




Figure 18: Booth set up at Mile Zero Regional Multiplex

o 2 people came for the intent purpose of discussing the plan and 2 more people dropped in upon seeing the booth.

No negative feedback was received either through the survey or in person. In contrast, the feedback that was received was very positive in nature and affirmed the Source Water Protection Plan. Subsequently, no changes were made to the plan due to the feedback that was received.